

# DH-HAP100

## Pinhole Pickup

[www.PadVokam.by](http://www.PadVokam.by)



### Features


- Omni-directional condenser microphone, high fidelity;
- 30KV Air contact ESD, built-in Lightning Protection, power supply polarity reversal protection and electrostatic protection;
- Pinhole design, hidden installation; match with cameras or storage devices which have audio function!


## Technical Specifications

| Model                           | DH-HAP100                         |
|---------------------------------|-----------------------------------|
| General                         |                                   |
| Scope                           | 5-40m <sup>2</sup>                |
| Sensitivity                     | -40dB(-45~-20dB adjustable)       |
| Frequency response              | 20Hz~20kHz                        |
| Directional characteristic      | Omni-directional                  |
| SNR                             | 70dB(1m 40dB sound source SPL)    |
| Dynamic range                   | 104dB(1KHz at Max dB SPL)         |
| Max. sustainable sound pressure | 120dB SPL(1KHz, THD 1%)           |
| Output impedance                | 600Ω(non-equilibrium)             |
| Output signal amplitude         | 2.5Vpp/-25dB                      |
| Working voltage                 | DC 12V(9~15V)                     |
| Working current                 | 60mA(50~100mA)                    |
| Working temperature             | -30℃~+70℃(-22°F~+158°F)           |
| Color                           | White                             |
| Outer shell                     | PC                                |
| Dimension                       | 63mmx30mmx22mm(2.48"x1.18"x0.87") |
| Weight                          | 34g(0.07lb)                       |
| Carried standard                | CE/FCC                            |

## Interface information

- RCA male connector
- DC power connector



**Dimensions (mm/inch)****Package Information**

- Pinhole pickup \*1
- ST4x25 screw \*3
- Plastic anchor \*3
- Mounting sticker\*1