

## Network Keyboard

[www.PadVokam.by](http://www.PadVokam.by)

KB-1100



KB-1100

### Key Features


- LCD screen display
- Four-dimensional joystick control
- Based on IP network
- Support multiple user permissions
- Connectable to NVR to control NVR menu and PTZ operations
- Multiple devices can be connected

## Specifications


[www.PadVokam.by](http://www.PadVokam.by)

| Product model       | KB-1100                                     |
|---------------------|---------------------------------------------|
| Joystick            | four-dimensional joystick                   |
| Ethernet port       | 1 RJ-45 10 M / 100 M adaptive Ethernet port |
| USB Interface       | 1 USB2.0 interfaces                         |
| Serial Interface    | 1 RS-232, 2 RS-485                          |
| Power Supply        | 12V DC                                      |
| Consumption         | 5W                                          |
| Working Temperature | -10°C ~ + 55°C                              |
| Working Humidity    | 10% ~ 90%                                   |
| Dimensions          | 47mm × 270mm × 440mm(1.9" × 10.6" × 17.3")  |
| Weight              | <1kg                                        |

## Interface figure



## Dimensions



---

**Zhejiang Uniview Technologies Co., Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2011-2016 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.